

SPA & POOL Ozone Generators

Oxygen Concentrator	OX-P05V	
	Oxygen Concentration:	93%±3%
	Oxygen Flowrate:	0-10 SCFH (0-5 lpm)
	Power Requirement:	220V/50Hz, 2.0A
	Output Pressure:	0.05MPa±10%
	Oxygen Dewpoint:	-100 degrees F
	Operational temperature:	41ºF to 105ºF (5ºC to 40ºC.), R.H.≤80%
	Expected Life:	10,000 hours
	Alarms:	Power failure, temperature, over current
	Flowmeter:	Included - units in LPM
	Isolation Mounts:	Included & installed
	Dimension (LxWxH):	14.2" *7.5" *18.1" (360*190*460 mm)
BEYOK 百悦康☆☆☆☆	Net Weight:	- lb (- kg)

The OX-P series oxygen concentrator uses ambient air as a source of oxygen. It is designed to deliver continuous and concentrated flow of oxygen. It has been designed to provide a combination of enhanced features, reliability of a proven technology and unsurpassed quality. It runs on electricity and the only maintenance required is the regular cleaning of filters.

Features:

- Oxygen concentration between 93%±3%
- · Very quiet and safe, less than 49dB
- · Simple to use and maintain
- · Superior Grade of AB Column Molecular Sieve
- · Economical, dependable and durable
- · Compressor included

Applications:

- · Ozone Generator Feed Gas
- Aqua Culture
- Medical Application
- · Multi Industry Usages

Size View:

