

OX-P20L **Oxygen Concentrator** Oxygen Concentration: 93%±3% Oxygen Flowrate: 0-40 SCFH (0-20 lpm) Power Requirement: 220V/50Hz, 5.5A Output Pressure: 0.05MPa±10% Oxygen Dewpoint: -100 degrees F Operational temperature: 41°F to 105°F (5°C to 40°C.), R.H.≤80% Expected Life: 10,000 hours Alarms: Power failure, temperature, over current Flowmeter: Included - units in LPM Isolation Mounts: Included & installed Dimension (LxWxH): 20.5" *13.8" *26.4" (520*350*670 mm) Net Weight: -lbs (- kg)

The OX-P series oxygen concentrator uses ambient air as a source of oxygen. It is designed to deliver continuous and concentrated flow of oxygen. It has been designed to provide a combination of enhanced features, reliability of a proven technology and unsurpassed quality. It runs on electricity and the only maintenance required is the regular cleaning of filters.

Features:

- Oxygen concentration between 93%±3%
- · Very quiet and safe, less than 49dB
- · Simple to use and maintain
- · Superior Grade of AB Column Molecular Sieve
- Economical, dependable and durable
- · Compressor included

Applications:

- · Ozone Generator Feed Gas
- · Aqua Culture
- · Medical Application
- · Multi Industry Usages

Size View:

